

IN THE CLAIMS

Please amend the claims as follows.

---

1. (Currently Amended) A system for retrieving position-related information, comprising:
- a map, including:
    - a representation of a particular geographical area;
    - an address pattern comprising a pattern of dots disposed throughout said representation of the particular ~~geographic~~ geographical area, wherein each specific geographical location within the geographical area is associated with a unique, ~~substantially overlapping~~ portion of the address pattern and can be identified from the associated unique portion of the address pattern;
  - an electronic reading device including a reading sensor for optically detecting a portion of the address pattern; and
  - a server for identifying a specific geographical location corresponding to the detected portion of the address pattern.
2. (Original) The system of claim 1, wherein the associated unique portion of the address pattern comprises a region of the address pattern at and around a position that corresponds to the specific geographical location.

3. (Original) The system of claim 1, further comprising an electronic device, wherein the server sends information relating to the specific geographical location to the electronic device.

4. (Original) The system of claim 3, wherein the information sent by the server comprises a route description from a current geographical location to the specific geographical location.

5. (Original) The system of claim 4, further comprising a positioning device for determining the current geographical location.

6. (Previously Amended) The system of claim 5, wherein the positioning device uses global positioning system (GPS) technology.

7. (Previously Amended) The system of claim 3, wherein the specific geographical location comprises a destination location, the electronic reading device further used to optically detect an additional portion of the address pattern corresponding to an origination location.

8. (Original) The system of claim 7, wherein the information sent by the server comprises a route description from the origination location to the destination location.

9. (Original) The system of claim 8, wherein the information further comprises a suggested form of transport.

10. (Original) The system of claim 8, wherein the information sent by the server comprises at least one of a distance and a direction from the origination location to the destination location.

11. (Original) The system of claim 3, wherein the information sent by the server identifies at least one facility near the specific geographical location.

12. (Original) The system of claim 3, wherein the electronic device includes a display screen and an Internet browser for displaying the information sent by the server.

13. (Previously Amended) The system of claim 1, wherein the electronic reading device optically detects a plurality of positions on the address pattern, said plurality of positions corresponding to a selected area, the server sending information relating to facilities within the selected area.

14. (Currently Amended) A method for retrieving position-related information, comprising the steps of:

optically detecting a selected position on an address pattern with an electronic reading device, said address pattern comprising a pattern of dots, said pattern of dots disposed throughout a representation of a geographical area and wherein said selected position can be determined from a detected portion of the address pattern that is near the selected position;

sending an indication of the selected position from the electronic reading device to a server; and

identifying a geographical location corresponding within said geographical area that corresponds to the selected position.

15. (Original) The method of claim 14, further comprising the step of storing an indication of the identified geographical location.


16. (Original) The method of claim 14, further comprising the step of authenticating a user identity based on data received from the electronic reading device.

17. (Original) The method of claim 14, further comprising the step of generating a route description from a specific geographical location to the identified geographical location.

18. (Original) The method of claim 17, further comprising the step of detecting a current location, wherein said specific geographical location comprises the current location.

19. (Previously Amended) The method of claim 17, further comprising the step of selecting the specific geographical location by optically detecting an additional position on the address pattern with the electronic reading device.

20. (Original) The method of claim 17, further comprising the step of selecting a specific form of transportation with the electronic reading device, wherein the route description is generated in accordance with the specific form of transportation.

 21. (Original) The method of claim 17, wherein the step of generating the route description includes identifying a suggested form of transportation.


22. (Original) The method of claim 14, further comprising the step of identifying at least one facility near the identified geographical location.

23. (Original) The method of claim 22, further comprising the step of selecting, with the electronic reading device, at least one type of facility, said at least one identified facility corresponding to the at least one type of facility.

24. (Currently Amended) The method of claim 14, wherein the step of optically detecting a selected position involves optically detecting a plurality of selected positions and the

step of identifying a geographical location comprises identifying a ~~geographical~~ selected area of said geographical area corresponding to the plurality of selected positions, further comprising the step of identifying at least one feature of the identified ~~geographical~~ selected area.

25. (Original) The method of claim 14, further comprising the step of generating at least one of a distance and direction from a specific geographical location to the identified geographical location.

 26. (Original) The method of claim 14, further comprising the steps of:  
tracing a route on a map that includes the address pattern; and  
calculating a distance between a first position along the traced route and a second position along the traced route.

27. (Previously Amended) A method for producing a map for use with an electronic reading device, comprising the steps of:

assigning each position of a selected, optically detectable address pattern to a corresponding geographical location, said address pattern comprising a pattern of dots;

identifying a region of the selected, optically detectable address pattern that corresponds to a geographical area to be represented on a map; and

D2  
Concl'd

Serial No. 09/703,481  
Docket No. 34650-00658USPT  
Client No. P13641

printing the map on the identified region of the selected, optically detectable  
address pattern, such that each geographical location on the map is printed at the corresponding  
assigned position of the selected, optically detectable address pattern.

---

28. (Cancel)